UREMENT BOOK

Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	30.00	4.30+4.80/2	0.04	5.46	
	30.00	5.80+7.20/2	0.04	7.80	
	40.00	4.00+5.20/2	0.04	7.56	
				50.40 Cum	588579/-
				50.40 Cum	37041/-
				264.24	
				94.50	
				358.74	

Bill No 28 final
BR 1028/31-3-2015

Tjcode: 014-15-0000460Cw00/90
A No: AC/DL/074/14.15 dt 2.2.2015
T No: CR/DL/085/14.15 dt 4.2.2015

M. A. R. 57 (Rule 116) No. B
Measurement Book

SBR 305/30-3-2015

Serial No. .....
Name of work Improvement to Roads & drains near behind Vidya Jyothi Hrs Sec to Sriramareddy house up to SWD in ward no 14 Nagole
Name of Contractor or nature of Agency
Date of commencement of work Tech. Mangr LCRD/L. No 280 5th Cm 15th C maintenance 2014-15

82953

CC No: E01/DL 2015-16 dt 9.2.2015

Date 1	Full description, etc, of work 2	Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Excn in ordy Soil including cutting Jungle growth & removal of roots upto 2m lead & lift upto 1.5m & disposal of excavated soil within 50m lead for formation of drains & bunds of required size as per direction of Engr in charge						
	C.C. drains	1	30.00	1.10	0.80	26.40	
		1	30.00	1.10	0.80	26.40	
		1	8.80	1.10	0.80	9.68	
		1	30.00	1.10	0.80	26.40	
	Deduct for ICRB work	1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	

CAPE 8 24/2/15

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	
		1	27.00	0.45	0.40	4.86	
	Right Lat Bw High Sch Gnd & Teaday Idng	1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	
		1	13.00	0.45	0.40	2.34	
		1	26.00	0.45	0.40	4.68	
		1	30.00	0.45	0.40	5.40	
		1	26.00	0.45	0.40	4.68	
	S.L.N School. Off Road All Round Cross	1	17.50	0.45	0.40	3.15	
		1	24.00	0.45	0.45	4.32	
		1	29.00	0.45	0.40	5.22	

M. A. R. S
Measur

erial No. .....
ame of work ..... From .....
lame of Contractor of nature of Agency.....
)ate of commencement of work.....

Date	Full description, etc, of work	Number
1	2	3
	PR Cross Bnd Jammer Adj Mountain Shots	1
		1
		1
		1
		1
	Adj	1
	Off	1
	24/2/15	1
		1
		1
	DB Malleaar Mountain	1
		1

UREMENT BOOK

ber	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	30.00	0.45	0.40	5.40	
	30.00	0.45	0.40	5.40	
	27.00	0.45	0.40	4.86	
	30.00	0.45	0.40	5.40	
	30.00	0.45	0.40	5.40	
	30.00	0.45	0.40	5.40	
	13.00	0.45	0.40	2.34	
	26.00	0.45	0.40	4.68	
	30.00	0.45	0.40	5.40	
	26.00	0.45	0.40	4.68	
	17.50	0.45	0.40	3.15	
	24.00	0.45	0.40	4.32	
	29.00	0.45	0.40	5.22	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

82959

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	SR (NW) Drafamma Adj	1	30.00	0.45	0.40	5.40	
	Mortar Shs	1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	
		1	30.00	0.45	0.40	5.40	
		1	21.00	0.45	0.40	3.78	
	Adj	1	30.00	0.45	0.40	5.40	
	Adj	1	30.00	0.45	0.40	5.40	
	Adj	1	30.00	0.45	0.40	5.40	
	Adj	1	30.00	0.45	0.40	5.40	
		1	21.00	0.45	0.40	3.78	
		1	30.00	0.45	0.40	5.40	
	SR Mallesam Mawrm	1	30.00	0.45	0.40	5.40	15949
					0.75=00/17	240.96 m	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
2	Laying B & Slab Jobwork						
		1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	17.00	0.90	—	15.30	
		1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	25.00	0.90	—	22.50	
		1	30.00	0.90	—	27.00	
		1	13.00	0.90	—	11.70	
	Ost Cm Protection work in Slab	1	30.00	0.90	—	27.00	

M. A. R. 57 (R

Measuremer

rial No. .....

me of work ..... From .....

me of Contractor of nature of Agency.....

te of commencement of work.....

ate	Full description, etc, of work	Dim	
	2	Number 3	Length 4
		1	30.00
		1	25.00
		1	30.00
		1	30.00
		1	25.00
		1	30.00
		1	10.00
			58.32

SUREMENT BOOK

Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of work ..... From ..... To 82960

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	30·00	0·90	—	27·00	
		1	25·00	0·90	—	22·50	
		1	30·00	0·90	—	27·00	
		1	30·00	0·90	—	27·00	
		1	25·00	0·90	—	22·50	
		1	30·00	0·90	—	27·00	
		1	10·00	0·90	—	9·00	
						426.88	162081

@ 58.32 Sq. Mtrs is equivalent to 27.82 Sqm

3 Providing and laying in position pre cast concrete M. 25 mix type cement 180 kg Mtrs (40 mm down gauge) fly proof grading granite metal conforming to specification

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	0.85 km eq Quicksagging 0.3 Fly Marking name & cumt. Laid in layer not Steady 15cm bore well Cyclone to field eq Plate testing Cost of all walks labour Item of making Chg						
	For C.C dry	1	30.00	1.10	0.15	4.95	
		1	30.00	1.10	0.15	4.95	
		1	11.00	1.10	0.15	1.81	
		1	30.00	1.10	0.15	4.95	
	For SSM Wall Finish	1	30.00	0.60	0.15	2.70	
		1	30.00	0.60	0.15	2.70	
		1	20.00	0.60	0.10	1.80	
	For Lamp	1	30.00	0.45	0.10	1.35	
		1	30.00	0.45	0.10	1.35	
		1	20.00	0.45	0.10	0.90	

M. A. R. 57
Measurer

rial No. .....

me of work ..... From .....

me of Contractor of nature of Agency.....

te of commencement of work.....

ate	Full description, etc, of work	Number	Le
	2	3	
	For C.C Dry	1	
		1	
		1	
		1	
	KP-TCL Lamp to High School	2	
		2	
		2	
		2	
		2	
		2	

SUREMENT BOOK

Number 3	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
7	0.37 Cu	Mortley	work	cement	Last
	Tube well	Cpuler	No	Platch	eg
	values	Lobby	Item	of	walls
1	30-m	1.10	0.15	4.95	
1	30-m	1.10	0.15	4.95	
1	11-m	1.10	0.15	1.81	
1	30-m	1.10	0.15	4.95	
	30-m	0.60	0.45	2.70	
	30-m	0.60	0.45	2.70	
1	20-m	0.60	0.10	1.80	
	30-m	0.45	0.10	1.35	
	30-m	0.45	0.10	1.35	
	20-m	0.45	0.10	0.90	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of work ..... From ..... To 82961

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	For C.C. work	1	~~11.00~~	4.50+2.50 / 2	0.15	5.77	
		1	16-m	2.50+2.40 / 2	0.15	5.88	
		1	13-m	2.40+2.30 / 2	0.15	4.58	
		1	14-m	2.30+2.10 / 2	0.15	4.37	
	Kp-TCL Room in High School	2	30-m	0.20	0.15	0.86	
		2	30-m	0.20	0.15	1.80	
		2	30-m	0.20	0.15	1.80	
		2	30-m	0.20	0.15	1.80	
		2	30-m	0.20	0.15	1.80	
		2	27-m	0.20	0.15	1.62	

24/12/15

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	30.00	0.20	0.45	1.80	
		2	30.00	0.20	0.45	1.80	
		2	30.00	0.20	0.45	1.80	
		2	13.00	0.20	0.45	0.78	
		2	26.00	0.20	0.45	1.56	
		2	30.00	0.20	0.45	1.80	
		2	26.00	0.20	0.45	1.56	
	Scw. Short Opg and RW	2	17.50	0.20	0.45	1.05	
		2	24.00	0.20	0.45	1.44	
		2	29.00	0.20	0.45	1.74	
	1st Class Proforma 4) provision Sty	2	30.00	0.20	0.45	1.80	
		2	30.00	0.20	0.45	1.80	
		2	30.00	0.20	0.45	1.80	
		2	30.00	0.20	0.45	1.80	

M. A. R. 57
Measurem

erial No. .....
ame of work ..... From .....
ame of Contractor of nature of Agency.....
ate of commencement of work.....

Date	Full description, etc, of work	Number	Di Leng
1	2	3	4
	Cor 3 RW	2	24
		2	30
		2	30
		2	30
		2	30
		2	21
	Dishclean man r	2	30
		2	30
	24/2/2015		

UREMENT BOOK

ber	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	30.00	0.20	0.15	1.80	
	30.00	0.20	0.15	1.80	
	30.00	0.20	0.15	1.80	
	13.00	0.20	0.15	0.78	
	26.00	0.20	0.15	1.56	
	30.00	0.20	0.15	1.80	
	26.00	0.20	0.15	1.56	
	17.50	0.20	0.15	1.05	
	24.00	0.20	0.15	1.44	
	29.00	0.20	0.15	1.74	
	30.00	0.20	0.15	1.80	
	30.00	0.20	0.15	1.80	
	30.00	0.20	0.15	1.80	
	30.00	0.20	0.15	1.80	

M. A. R. 57 (Rule 116)
Measurement Book **No. B**

Serial No. .....
Name of work ..... From ..... To 82962
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions: Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Cft 8 24/2/2015 Rs	2	21.00	0.20	0.15	1.26	
		2	30.00	0.20	0.15	1.80	
		2	30.00	0.20	0.15	1.80	
		2	30.00	0.20	0.15	1.80	
		2	30.00	0.20	0.15	1.80	
		2	21.00	0.20	0.15	1.26	
		2	30.00	0.20	0.15	1.80	
	Obstruction man n	2	30.00	0.20	0.15	1.80	461826
	N.10 880 24/2/2015		4847.04/4			95280 cm 94.67	4,58,869=00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
4	Providing & Casting Granite Stone Masonry in foundation in Cement mortar 1:6 Stone hammered dressed to even bedes Thickness 20 cm height Bed Stones of two in apart in Sanitary lines coll & walls labour Carry Complete as per Specification DR Carry	1	30.00	0.60	0.45	8.10	
		1	30.00	0.60	0.45	8.10	
		1	20.00	0.60	0.45	5.40	
	RCC Carry	1	30.00	0.45	0.45	6.07	
		1	30.00	0.45	0.45	6.07	
		1	20.00	0.45	0.45	4.05	145007/-
			0.8836-1614			37.88 Cu	
5	Providing & laying Cement Shutter Shuttering Complete as per Specification Item work for Vertical Surface Sides						

M. A.
Me

Serial No. .....
Name of work ..... From
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number
1	2	3
	Walls at any Centers including Carry coll for Masters lo	4
	Ditto	4
	30/8/15	4
		4
6	Providing & laying in position Ready Commercially Grade Concrete using 20 mm Nominal Size	

REMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
Brick Stone masonry in foundation and other works in cement mortar 1:6 in Sanitary Complex Ground floor				
30.00	0.60	0.45	8.10	
30.00	0.60	0.45	8.10	
20.00	0.60	0.45	5.40	
30.00	0.45	0.45	6.07	
30.00	0.45	0.45	6.07	
20.00	0.45	0.45	4.05	145007/-
8836-16/4			37.82 Cu.m	
Shutter Shuttering Supporting & Centering Surface				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of work ..... From ..... To 82963

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Walls at any thickness including attached pilasters buttresses pierced stone and cavity walls for retaining walls basement Complete as per Specification						
		4	30.00	0.90	–	108.00	
		4	30.00	0.90	–	108.00	
		4	11.00	0.90	–	39.60	
		4	30.00	0.90	–	108.00	105365/-
				2nd floor		360.00 Cu.m	
6	Providing & laying in position P.C.C. of mix 1:3:6 using 20mm nominal size Coarse aggregate 40mm nominal size Coarse aggregate & 6mm nominal size Fine aggregate						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Providing 1:2:4 cement concrete well curb and cutting edge in all soils below ground level including all leads and lifts complete in all respects						
		1	30.00	0.45	0.10	1.35	
		1	30.00	0.45	0.10	1.35	
		1	20.00	0.45	0.50	0.90	19036/-
				0.5287.62/4		3.60	
7	Providing and laying in position RCC of mix 1:2:4 with 20mm down graded stone aggregate including centering, shuttering, curing complete as per drawing and directions of Engineer-in-charge. Volume of concrete 0.088 cum each curb 0.45 cum. Deduction for well curb 0.5 cum. Net quantity of concrete 0.088 - 0.05 = 0.038 cum each curb						
	For C.C chowk	2	30.00	0.15	0.80	8.10	
		2	30.00	0.15	0.80	8.10	
		2	11.00	0.15	0.80	2.97	

M. A. R. 57
Measurer

Serial No. .....
Name of work ..... From .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Length
1	2	3	4
		2	30
	For C.C work	1	11
		1	16
	Office	1	13
	2 38 3716	1	14
	For C.C chowk curb	1	30
		1	30
		1	11
		1	30

EMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
Cyclopean masonry in foundations and plinth				
30·00	0·45	0·10	1·35	
30·00	0·45	0·10	1·35	
20·00	0·45	0·10	0·90	19036
0 SR 82.68 /4			3·60	
P.C.C. 1:2:4 with Coarse Aggregate 40 mm nominal size Cube tested in well approved manufactured test lab				
30·00	0·15	0·90	8·10	
30·00	0·15	0·90	8·10	
11·00	0·15	0·90	2·97	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of work ..... From ..... To 82964

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		2	30·00	0·15	0·90	8·10	
	For C.C. work	1	11·00	4·50+2·50 / 2	0·10	3·85	
		1	16·00	2·50+2·40 / 2	0·10	3·92	
	Office	1	13·00	2·40+2·30 / 2	0·10	3·05	
	2 SR 3/11	1	14·00	2·30+2·10 / 2	0·10	3·00	
	For C.C. chowk work	1	30·00	0·60	0·075	1·35	
		1	30·00	0·60	0·075	1·35	
		1	11·00	0·60	0·075	0·49	
		1	30·00	0·60	0·075	1·35	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	For RS glass chaves Pm KPTCL Equal to Highly Solar	2	30.00	0.20	0.05	0.60	
		2	30.00	0.20	0.05	0.60	
		2	30.00	0.20	0.05	0.60	
		2	30.00	0.20	0.05	0.60	
		2	30.00	0.20	0.05	0.60	
		2	27.00	0.20	0.05	0.54	
	High Strength Conc to Leaded Key	2	30.00	0.20	0.05	0.60	
		2	30.00	0.20	0.05	0.60	
		2	30.00	0.20	0.05	0.60	
		2	13.00	0.20	0.05	0.78	
		2	26.00	0.20	0.05	0.52	
		2	30.00	0.20	0.05	0.60	
		2	26.00	0.20	0.05	0.52	
	Dia Cross Right Side	2	17.50	0.20	0.05	0.35	
		2	24.00	0.20	0.05	0.48	

M. A. R.
Measu

Serial No. .....
Name of work ..... From .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	L
1	2	3	
	1st Cross Rectt Side	2	2
		2	3
		2	3
		2	3
		2	3
		2	2
	Right Side	2	3
		2	3
		2	1
		2	1
		2	1
	Bhoolanveeru	2	
		2	2

SUREMENT BOOK

Dimensions				Contents	Reference to last Measurement
Number 3	Length 4	Breadth 5	Depth 6	7	8
2	30·W	0.20	0.05	0.60	
2	30·W	0.20	0.05	0.60	
2	30·W	0.20	0.05	0.60	
2	30·W	0.20	0.05	0.60	
2	30·W	0.20	0.05	0.60	
2	27·W	0.20	0.05	0.54	
2	30·W	0.20	0.05	0.60	
2	30·W	0.20	0.05	0.60	
2	30·W	0.20	0.05	0.60	
2	13·W	0.20	0.05	0.78	
2	26·W	0.20	0.05	0.52	
2	30·W	0.20	0.05	0.60	
2	26·W	0.20	0.05	0.52	
2	17·50	0.20	0.05	0.35	
2	24·W	0.20	0.05	0.48	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of work ..... From ..... To 82965

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	1st Cross Road Left Side	2	29·W	0.20	0.05	0.58	
		2	30·W	0.20	0.05	0.60	
		2	30·W	0.20	0.05	0.60	
		2	30·W	0.20	0.05	0.60	
		2	30·W	0.20	0.05	0.60	
		2	21·W	0.20	0.05	0.42	
	Right Side	2	30·W	0.20	0.05	0.60	
		2	30·W	0.20	0.05	0.60	
		2	30·W	0.20	0.05	0.60	
		2	30·W	0.20	0.05	0.60	
		2	24·W	0.20	0.05	0.42	
		2	30·W	0.20	0.05	0.60	318863
		2	30·W	0.20	0.05	0.60	
			5228.98/-			60.98	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
8	Refixing of Stone Slabs Coping	of chains & pools in Cem 1:3 Ckt				315.16/-	
	Ohy wall stone	(2)				416.88	
			0.75			277.92	315.16/-
						416.88	16.208/-
9	Providing Grade Stone & fixed in Cem mortar (1:6) mixing for Cem Ckt					694.80	
	Ohy wall stone	(2)	694.80				
	Added Double	(2)				416.88	
						277.92	177.69/-
			639.36			416.88	
10	Providing & Constructing Cement Concrete Coping Stones	Not less than 25					

M. A. R. 5
Measur

Serial No. .....
Name of work ..... From .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Le
1	2	3	
	mixing 1:4 masonry pillars Sc Cem Cmbg to as 2685/1967 in Sup Scaffolding Coping Capitals &per Sp		
	ICPTC Capping to Hwy	2	30
	School Gate	2	30
	CRPC	2	30
		2	30
	30/3/15	2	30
		2	2
	High School Gate to Colony	2	30
	Hwy	2	30
		2	30

SUREMENT BOOK

Dimensions				Contents	Reference to last Measurement
umber 3	Length 4	Breadth 5	Depth 6	7	8

M. A. R. 57 (Rule 116)
Measurement Book

No. B

82966

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions Length 4	Dimensions Breadth 5	Dimensions Depth 6	Contents 7	Reference to last Measurement 8
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	27.60	0.40	—	21.60	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	13.00	0.40	—	10.40	
		2	26.00	0.40	—	20.80	
		2	30.00	0.40	—	24.00	
		2	26.00	0.40	—	20.80	
	Left Cross Rightfoot	2	17.50	0.40	—	14.00	
		2	24.00	0.40	—	19.20	
		2	29.00	0.40	—	23.20	
	Left Cross Leftfoot	2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	21.00	0.40	—	16.80	
	Rightfoot	2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	

M. A. R. 5
Measure

...rial No. .....
...me of work ..... From .....
...me of Contractor of nature of Agency.....
...te of commencement of work.....

Date	Full description, etc, of work	Number	Le
	2	3	
		2	2
	Dshape wall	2	3
		2	
	Provide TMT Steel Reinforcement bending bending placing in position complete as per drawing and specification complete as per		

UREMENT BOOK

Dimensions				Contents	Reference to last Measurement
mber 3	Length 4	Breadth 5	Depth 6	7	8
	13.00	0.40	—	10.40	
2	21.00	0.40	—	16.80	
2	30.00	0.40	—	24.00	
2	26.00	0.40	—	20.80	
2	17.50	0.40	—	14.00	
2	24.00	0.40	—	19.20	
2	29.00	0.40	—	23.20	
—	30.00	0.40	—	24.00	
—	30.00	0.40	—	24.00	
—	30.00	0.40	—	24.00	
—	30.00	0.40	—	24.00	
—	21.00	0.40	—	16.80	
—	30.00	0.40	—	24.00	
—	30.00	0.40	—	24.00	
—	30.00	0.40	—	24.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

82967

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions Length 4	Dimensions Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		2	30.00	0.40	—	24.00	
		2	21.00	0.40	—	16.80	
		2	30.00	0.40	—	24.00	
		2	30.00	0.40	—	24.00	613647
			@ 993.65 Rs			617.60 Rs	
	Providing TMT Steel reinforcement for all cantilevered Shelter Canopy including bending placing in position tying & welding wherever required tying with binding wire & welding to all joints wherever necessary Cutting Cost after complete bending placing & welding Reinforcement						

MEASUREMENT BOOK

M. A. R. 57
Measuren

erial No. .....
ame of work ..... From .....
ame of Contractor of nature of Agency.....
ate of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measureme
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	be measured [illegible] all walls below [illegible] January						
	Qty prevl recd upto the					27.90 of 218602	
	Qno of Qty			0.7835-18/0			
12	Supply & fixing precast reinforced cement for roof						
	with necessary cost of reinforced cement concrete & also						
	moulds for moulds have been supplied & used in						
	casting the various parts of the said Shed						
	C.C. slab	1	30.00	0.90	—	27.00	C/F
		1	30.00	0.90	—	27.00	
		1	11.00	0.90	—	9.90	
		1	30.00	0.90	—	27.00	E.E.
		1	30.00	0.90	—	27.00	30/12/21
	Supply & fixing Hooks						
	Sub Total						

Date	Full description, etc, of work	Number	Len
1	2	3	4
		1	30
		1	30
		1	30
		1	30
		1	27
	Hooks for C.C. slab	1	30
		1	30
		1	30
		1	1.
		1	2(
		1	30
		1	2(

IREMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
			27.90 of 218602	
			0 7835-18 cu	
30·00	0·90	—	27·00	
30·00	0·90	—	27·00	
11·00	0·90	—	9·90	
30·00	0·90	—	27·00	
30·00	0·90	—	27·00	

CE/AE
E.E. (D.D.)
30/3/14

M. A. R. 57 (Rule 116)
Measurement Book

No. B

82963

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Number 3	Dimensions Length 4	Dimensions Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	30·00	0·90	—	27·00	
		1	30·00	0·90	—	27·00	
		1	30·00	0·90	—	27·00	
		1	30·00	0·90	—	27·00	
		1	27·00	0·90	—	24·30	
		1	30·00	0·90	—	27·00	
		1	30·00	0·90	—	27·00	
		1	30·00	0·90	—	27·00	
		1	13·00	0·90	—	11·70	
		1	26·00	0·90	—	23·40	
		1	30·00	0·90	—	27·00	
		1	26·00	0·90	—	23·40	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Flat Cum Measurement	1	17.30	0.90	—	15.30	
		1	24.00	0.90	—	21.60	
		1	29.00	0.90	—	26.10	
	RR Cum Detailed	1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
		1	10.00	0.90	—	9.00	
	Work Cum	1	30.00	0.90	—	27.00	
	CSR	1	30.00	0.90	—	27.00	
	E.E. 30/3/16	1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
	329 Cum as per Estimate Cum	1	21.00	0.90	—	18.90	
		1	20.00	0.90	—	18.00	

M. A. R. 57
Measure

Serial No. .....
Name of work ..... From .....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Number	Len
1	2	3	4
	Dhollera Cum	1	30
		1	30
	Earthwork Shoulder Slope Metal Surface preparation up & consolidation including cutting of loose Soil & removing fresh aggregates in prepared surface including Spreading in Layers Cum Spread High Schedule	1	30

4945296=00

M. A. R. 57 (Rule 116)

Measurement Book

No. B

82983

From ..... To .....

656039=00

Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
3	4	5	6	7	8
			4498686=00		4495724=00
			4498686=00		4495724=00
			4498686=00		4495724=00
			4999740=00		4945296=00
				20/2/2015	
				20/3/15	

NAME OF WORK:- Improvement to roads and drain near behind Widia factory to Sriramma Reddy house upto SWD in ward No-14 Bagalagunte.



'verified'

MANJUNATH. K
DQM BE (CIVIL)
EXECUTIVE ENGINEER (RTD)
PUBLIC WORKS DEPARTMENT

REMENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
17.30	0.50	—	15.30	
24.00	0.50	—	24.00	
29.00	0.90	—	26.10	
30.00	0.90	—	27.00	
30.00	0.90	—	27.00	
30.00	0.90	—	27.00	
30.00	0.90	—	27.00	
10.00	0.90	—	9.00	
30.00	0.90	—	27.00	
30.00	0.90	—	27.00	
30.00	0.90	—	27.00	
30.00	0.90	—	27.00	
21.00	0.90	—	18.90	
20.00	0.90	—	18.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Excavation earthwork	1	30.00	0.90	—	27.00	
		1	30.00	0.90	—	27.00	
				0.1600.00/Kg		784.80 Rm	125680/-
	13 Scarifying existing Stone water bound up to 225 mm thick along with Kankar Stone Spreading up & consolidating with Stone Screening Spreading of Stone Screened aggregate including cost of coarse Sand including Spreading of Stone Screened aggregate in proper layer over existing consolidating as per water bound Macadam Specification using cost of all labour item Jaweed Ejaz Khan Sharma High School Road	1	30.00	6.50+4.80		169.50	